# MATERIAL SAFETY DATA SHEET

Page 1 of 3

Product Name: SealXpert™ PS102 STEEL REPAIR PUTTY Issued by : Sam

MSDS No: 126 Revision No: 4 Issue Date: 08 May 2013

### **Section 1 – Company Details**

Company Name: SealXpert™ Products

**Address:** 60 Kaki Bukit Place #09-11 Eunos Techpark **Tel:** +65 6742 4992/6742 4998

Singapore 415979 **Fax:** +65 6749 6916

Email: mailbox@sealxpert.com

## **Section 2 - Composition**

INGREDIENTS	CAS No	Content (Wt%)
Epoxy Resin	23068-38-36	20-30
Toughening Agent		5-10
Curing Agent		10-20
Stainless Steel Powder	12597-69-2	50-70
Aluminum Oxide Ceramic	1344-28-1	10-20

It does not contain asbestos, lead (Pb), mercury (Hg) and Chrome (Cr6+)

### **Section 3 – Hazards Identification**

**Hazards Identification:** Non-hazardous Substance. Not classified as dangerous goods.

**Human Health Hazards:** May cause sensitization by contact with eye.

Safety Hazards: Avoid contact with eye

**Environmental Hazards:** Non-toxic to aquatic organisms

Other Information: The product slightly irritates skins and eyes, it may cause allergic dermatitis

#### Section 4 - First Aid Measures

**Inhalation :** Provide fresh air. If breathing becomes difficult, call physician.

**Skin:** Avoid contact with skin. Wash thoroughly with soap and water.

Eyes: Avoid contact with eye. In case of contact with eyes, rinse immediately with plenty of water

and consult a physician.

**Ingestion:** If swallowed, seek medical ad ice immediately and show this container or label.

Keep out of reach of children.

Unlikely route of entry.

#### **Section 5 – Fire Fighting Measures**

Specific Hazards: Nil.

**Extinguishing Media:** H2O spray, foam, CO2, dry chemicals or foam

Unsuitable Extinguishing Media: Nil

**Protective Equipment:** Fire fighters to wear self -contained breathing apparatus and full

protective clothing.

Other Information: Keep undamaged product cool with H2O fog while fighting fire.

# MATERIAL SAFETY DATA SHEET

Page 2 of 3

Product Name: SealXpert™ PS102 STEEL REPAIR PUTTY Issued by : Sam

MSDS No: 126 Revision No: 4 Issue Date: 08 May 2013

Personal Precautions: Remove all possible sources of ignition in the surrounding area.

Environmental Precautions: Prevent from spreading or entering into drains and surface waters (e.g. lakes,

ponds, ditches, rivers and streams) by using sand, earth, or other appropriate

non-combustible barriers.

Clean-up Methods To minimize soil and groundwater contamination, absorb liquid with sand earth

(Small Spillages): or other recommended absorbent material. Sweep up and remove to a

suitable, clearly marked container for disposal in accordance with local

regulations.

Clean-up Methods Prevent from spreading by making a barrier with sand, earth or other

(Large Spillages): containment material. Dispose of as for small spills.

Maritime Spillages: Maritime spillages should be dealt with using a Shipboard Oil Pollution

Emergency Plan (SOPEP), as required by MARPOL Annex 1 Regulation 26.

Other Information Observe all relevant local regulations.

#### Section 7 – Handling and Storage

Handling: Wear protective glove and safety glasses while handling uncured product.

Uncured product will adhere to clothing. Maintain high standards of personal

hygiene, washing hands after coming in contact with product.

Avoid eye and skin contact.

Storage: Store in cool, dry and well-ventilated area out of direct sunlight. Store away

from all heat sources. Optimum storage conditions 4 - 30°C.

## Section 8 - Exposure Controls / Personal Protection

Respiratory Type: Avoid breathing of dust, vapours, mists or spray. Where ventilation is inadequate an

dusts, vapors or mists are generated the use of a respirator with filter is recommended.

Filter capacity and respirator type depends on exposure levels.

**Eye/** face protection. Non-fogging chemical safety goggles or safety glasses with side

shields.

**Glove Type :** Wear suitable impervious protective gloves such as PVC or Nitrile gloves.

**Clothing:** Wear suitable impervious protective clothing.

#### Section 9 – Physical and Chemical Characteristics

Nil

Appearance: Grey colour paste

Odor: Slight
pH: N/A
Water Solubility: Little
Specific Gravity: 2.0
Steam Pressure: Nil

Steam Density: Nil

Volatilization Velocity (Ether=1):

## MATERIAL SAFETY DATA SHEET

Page 3 of 3

Product Name: SealXpert™ PS102 STEEL REPAIR PUTTY Issued by : Sam

MSDS No: 126 Revision No: 4 Issue Date: 08 May 2013

Stability Stable

**Products to Avoid:** Strong oxidant, strong acid, strong alkali, primary aliphatic amine and

secondary aliphatic amine

Hazardous Reactions: Exothermic reaction will occur with some curing agent, a great deal of heat

will be

produced, which may cause polymerization reaction

Hazardous Decomposition: None

**Conditions to Avoid :** Keep away from heat source over 150°C

## **Section 11 – Toxicological Information**

**Health Harm:** Refer to section 3

Sensitization:

Denaturalization:

Procreation Transmissibility:

Cancer:

Other danger information:

Not known

Not known

Unavailable

### Section 12 - Ecological Information

**Ecotoxicity:** No useful data.

Environmental Influence: No harmful effect to aquatic organisms

Persistence / Degradability: Components are inherently biodegradable

Bioaccumulation: Nil

#### Section 13 – Disposal Considerations

Waste Disposal: Solid waste landfill or authorized incineration

## **Section 14 – Transportation Information**

Transportation: Not classified as Dangerous Goods according to Singapore Code for Transport of

Dangerous Goods by Road, Rail and Air.

#### **Section 15 – Regulatory Information**

**Regulation:** Observe the governmental or local regulations to use the chemical product safely.

### **Section 16 – Other Information**

#### Warning to users:

This data sheet completes the technical notices but does not supersede them. The information contained in it is grounded to the statement of our knowledge of the product concerned at the publishing date. Moreover, user's attention should be drawn on the possible risks incurred when a product is used for other purposes than those for which it has been designed. It does not stop in any case the user knowing and following the whole regulator y texts related to his activity. He will be the sole responsible of the precautions related to the use of the products he knows. The aim of the whole regulatory prescriptions mentioned is to help the receiver to fulfil his duties when using the product. This list must not be considered as exhaustive. It does not top the user from making sure that he complies with the written obligations other than those previously cited and which rule the fact of keeping and using the product for which he is the sole responsible person.