

## Introduction

SealXpert® SP40 Multipurpose Lubricant is a versatile, petroleum-based lubricant that penetrates, lubricates, displaces water, cleans surfaces and provides protection to metal surfaces, to prevent corrosion.

## Typical Applications

### Stop squeaks:

Toys—chair  
Hinges—wheels  
Bicycle chains  
Door—moving parts

### Loosen rusty, frozen and sticky parts:

Tools—gears  
Locks—zippers  
Bolts and nuts  
Rusted metal parts  
Sticky mechanisms

### Protects against rust and metal corrosion:

Tools  
Metals  
Bicycle  
Instruments  
Rods and reels  
Gardening tools

### Removes moisture:

Relays  
Distributors  
Spark plugs  
Wet Engines

## Typical Properties

Appearance:	Aerosol
Colour:	Brown transparent
Odor:	Fragrance
Density:	0.68±0.01 g/cm <sup>3</sup>
Water solubility:	Insoluble in water
Relative density (water = 1):	0.8 - 1
Boiling point (°C):	180 - 310
Flash point (°C):	43 - 72
Upper explosive limit [% (V / V)]:	5.0
Lower Explosive Limit [% (V / V)]:	0.7

## Direction for Use

Shake can thoroughly before use. Product can be used with or without straw. Saturate area to be treated and allow to soak. For best protection, do not wipe off. Spray in light, even coats to lubricate and protect metal surfaces. Apply liberally and allow to penetrate to free rusted parts. To displace moisture, spray wet surfaces until run-off is clear and moisture-free. Do not use on energized equipment.

## Safety and Handling Consideration

Do not puncture, incinerate or store above 50°C (120°F). Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

Use only in well ventilated area. Avoid continuous breathing of vapour and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn.

In case of contact with eyes or skin, rinse with clean water immediately; if symptom goes on, call a physical attention.

Keep away from children.

More details, please refer to MSDS of this product

## Recommended Storage:

Stored in a cool and dry location in unopened containers at 8~28°C. Keep away from flame or heat sources. Shelf life is 36 months

Disclaimer: The information contained herein is considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data, the results to be obtained by the use thereof, or that any such use will not infringe any patent. Before using, user shall determine the suitability of the product for the intended use and user assumes all risk and liability whatsoever in connection therewith.